

# **BLANK PAGE**



# Indian Standard SPECIFICATION FOR OUINALPHOS DUSTING POWDERS

(First Revision)

First Reprint JULY 1998

UDC 632.951 QUINALPHOS

© Copyright 1985

BUREAU OF INDIAN STANDARDS
MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG
NEW DELHI 110002

Gr 2 July 1985

# Indian Standard

# SPECIFICATION FOR **OUINALPHOS DUSTING POWDERS**

# (First Revision)

# Pest Control Sectional Committee, AFCDC 6

DR K. D. PAHARIA

#### Mambars

DR P. K. AGGARWAL DR S. R. IYENGAR ( Alternate ) DR H. L BAMI

Dr. B. Banerjee

DR G. SATYANARAYANA ( Alternate I ) SHRI S. C DAS ( Alternate II ) SHRI N. S BIRDIE

SHRIR. K BANERJEE ( Alternate )

CHEMIST INCHARAGE, INSEC-TICIDES TESTING LABORATORY ( Alternate ) DR M. S DHATT SHRI V DORATRAJ

SHRIG D GORHALE SHRIV V KETKAR ( Alternate ) SHRI B. K VIJAYA GOPAL

SHRIS K RAMAN ( Alternate ) SHRIN L. KALRA

SHRIG C JOSHI ( Alternate ) DR R. L KALRA

DR R P CHAWLA ( Alternate ) DR KALVAN SINGH

Agromore Lunited, Bangalore

Delhi

Puniab Agricultural University, Ludhiana

C. S A University of Agriculture & Technology, Kanpur

(Continued on page 2)

### Representing

Directorate of Plant Protection, Quarantine & Storage (Ministry of Agriculture & Rural Development ), Faridabad

IDMA Laboratories, Chandigarh

Pesticides Residue Analysis Sectional Committee, AFDC 56, ISI

Tea Research Association Jorhat

Shriram Test House, Delhi

CHIEF PLANT PROTECTION OFFICER Department of Agriculture, Government of Maharashtra, Bombay

National Malaria Eradication Programme, Delhi Plastic Containers Sectional Committee. MCPD 11, ISI

Bombay Chemicals Private Limited, Bombay

National Institute of Communicable Diseases,

# C Cobyright 1985

#### BUREAU OF INDIAN STANDARDS

This publication is protected under the Indian Copyright Act (XIV of 1957) and reproduction in whole or in part by any means except with written permission of the publisher shall be deemed to be an infringement of copyright under the said Act

# 18: 8029 - 1983 ((ontinued from page 1)

Men bery Representing Das K Kasmar National Institute of O cuprtional Health (ICMR), Ahmadab id DRS & GIPIA ( Ilternate ) SHRILL KROSEN Mtil Cont in rs Sectional Committee. MCPD 12, 151 SHREA N BRALLACHARANA ( Ilternate ) SHRES G KLISHNAN National Orems Chancil Industries Limited. Pomb ay DR I S VIRMA (Alternate) DR S LAKSHMANAN Paper and hl xible Packaging Sectional Committee, MCPD 11 181 Di J C MARIMDAR BASI India Limited, Bombay DR B P CHANDRASIKHAR ( Ilternate ) SHRIS & MAJIMDAR Central Food Fechnological Research Institute (CSIR), Mysore Suri M Murui ( Alternate ) SHILL B P S MANN Pesticides Association of India, New Delhi Da B S SHITIS ( Alternate 1) SHRIT V JAGADISAN ( Ilternate II ) SHRIK S MILLIA Bharat Pulverising Mills Private Limited. Bombay SHRIS CHATILLII ( Alternate ) Shri J. M Modi Pesticides Tormulators Association of India (S S I ), Bombay DRS R BYLOOMH ( Hier late ) DRS K MCKPRJU Agricult it il Chemie ils Division, Ii dian Agricultur il Research In titute (ICAR), New Delhi D: N K Roy ( Alternate ) SHRIK RAJINDI AN NAH Central Insecticides Cell, Directorate of Plant Protection Quarintine and Storage (Ministry of Agriculture & Rural Development). l arıdabad DR R C GUPFA (Alternate I ) Suni S & Guosu (Alternate II ) SHRI P V NARAYANAN Indian Institute of Packaging, Bombay SHRIK B GUPFA ( Alternate ) DR V. N NIGAM Ministry of Defence ( DGI ) SHRI M M. PADALIA Department of Agriculture, Government of Gujarat, Ahmadabad SHRIR G. JADEJA ( Alternate ) SHRI A. R. PANICKER Hindustan Insecticides Limited, New Delhi DR S N. DESHMUKH ( Alternate ) SHRIY A. PRADHAN Rallis India Limited, Bombay SHRI M L SHAH (Alternate) DR R. L RAJAK Central Insecticides Laboratory, Directorate of Plant Protection, Quarantine & Storage (Ministry of Agriculture & Rural Development), Faridabad SHRI V. C. BHARGAVA ( Alternate I ) DEPUTY DIRECTOR (PR&OC) ( Alternate II ) ( Continued on base "

### ( Continued from page 2 )

Momhere

Representing

REPRESENTATIVE

Department of Agriculture, Government of Andhra Pradesh, Hyderabad

DR K. D. SHARMA

Directorate General of Technical Development. New Delhi

SHRI N. R. NARAYANAN ( Alternate )

DR K. N. SHRIVASTAVA Shaw Wallace & Co Limited, Calcutta SHRI R. N. ROYCHOWDHURY ( Alternate )

SHRI A. C. SHROFF

Excel Industries Limited, Bombay SHRI P. V. KANGO ( Alternate ) Dr K. Sivasankaran

DR U. V. SINGH ( Alternate ) SHEI N. S. VENEATABAMAN

Union Carbide (India) Limited, New Delhi

DR R. V. VENKATARATNAM

Department of Agriculture, Government of Tamil Nadu, Madras Regional Research Laboratory (CSIR), Hydera-

DR NAGABHUSHAN RAO ( Alternate )

had DR SANTOSH YELLORE Analytical Testing Services Pvt Ltd. New Delhi DR D. B. ANANTHA NARAYANA ( Alternate ) SHRI T. PURNANANDAM. Director General, ISI ( Ex-officio Member )

Director ( Agri & Food )

Secretary

SHRI LAJINDER SINGH Deputy Director ( Agri & Food ), ISI TO

# IS:8029-1985 SPECIFICATION FOR QUINALPHOS DUSTING POWDERS

# (First Revision)

(Page 6, clauses 5.2 and 5.2.1) - Substitute the following for the existing clauses:

'5.2 For determination of quinalphos content by GIC method, start with 25 g of material and extract in Soxhlet apparatus using acetone/toluene for 6-7 h, taking care to ensure that extraction is complete. Recover solvent as much as possible. Transfer to 50-ml volumetric flask. Add 10 ml of internal standard and make up to volume with acetone/toluene and proceed.'

(Page 6, clause 5.2.2) - Substitute the following for the existing clause:

'5.2.2 For determination of quinalphos content by volumetric method treat sample as given in 5.2 but omit addition of internal standard while making up the volume:

Quinalphos content, percent by mass = 
$$\frac{\underline{v}}{\underline{m}}$$
 x 2.867

where

- v = volume, in ml, of standard sodium hydroxide solution consumed; and
- $\frac{m}{r}$  = mass, in g, of sample taken for the test.'
  (AFCDC 6)

# AMENDMENT NO. 2 MAY 1994 TO

# IS 8029: 1985 SPECIFICATION FOR QUINALPHOS DUSTING POWDERS

(First Revision)

(Page 6, clause 4.1) — Substitute the following for the existing

When freshly manufactured material in bulk quantity is offered for inspection, representative samples of the material shall be drawn and tested as prescribed in IS 10627—1983 within 90 days of its manufacture. When the material is offered for inspection after 90 days of its manufacture, sampling shall be done as prescribed in IS 10627—1983—However, the criteria for conformity of the material when tested, shall be the limits of tolerances, as applicable over the declared nominal value and given under clause 2.3 of the standard'

# Indian Standard

# SPECIFICATION FOR QUINALPHOS DUSTING POWDERS

# (First Revision)

# O. FOREWORD

- 0.1 This Indian Standard (First Revision) was adopted by the Indian Standards Institution on 31 January 1985, after the draft finalized by the Pest Control Sectional Committee had been approved by the Agricultural and Food Products Division Council and the Chemical Division Council
- 0.2 Quinalphos dusting powder formulations are used in the control of insect pests of agricultural crops
- **0.3** Quinalphos dusting powder formulation is generally manufactured to contain 5 percent (m/m) of quinalphos
- 0.4 This standard was first published in 1976. It is being revised to incorporate latest packing and marking clauses. Opportunity has been taken to give reference to IS 6940-1982\* for the sake of uniformity
- **0.5** In the preparation of this standard, due consideration has been given to the provisions of the *Insecticides Act*, 1968 and the Rules framed thereunder However, this standard is subject to the restrictions imposed underthese, wherever applicable
- 0.6 For the purpose of deciding whether a particular requirement of this standard is complied with, the final value observed or calculated, expressing the result of a test or analysis shall be rounded off in accordance with 1S 2-1960† The number of significant places retained in rounded off value should be the same as that of the specified value in this standard

#### 1. SCOPE

1.1 This standard prescribes the requirements and them ethods of sampling and test for quinalphos dusting powders.

<sup>\*</sup>Methods of test for pesticides and their formulations (first revision) †Rules for rounding off numerical values (revised)

# 2. REQUIREMENT

- 2.1 Description The material shall be in the form of homogeneous powder It shall be face-flowing and devoid of lumps Quinalphos technical used in its manufacture shall have been unformly mixed in suitable fillers, such as tale or pyrophyllite. The material, when dusted from hand rotary duster, shall issue freely without clogging or bridging.
- 2.1.1 Quinalphos technical employed in the manufacture of dusting powder formulations shall conform to 1S 8072-1984\*.

2.2 The material shall also comply with requirements given in Table 1.

T	TABLE 1 REQUIREMENTS FOR QUINALPHOS DUSTING POWDERS						
St No	( HALACTI RISTIC	Regentants	Mainod of Lest, Repto				
NO			Appenndix of IS 8072-1984*	Cl No. or IS 6940-1982†			
(1)	(2)	(3)	(4)	(5)			
1)	Quinalphos con- tent, percent by mass	Nominal value as declared on the contai- ner ( see 2.3 )	A				
11)	Steving requirement, mat i it passing through 75 ii icrom 18 Sieve ‡ piecent by mass, Min	90)	-	12.1			
111)	Bulk density after compacting	Not to exceed the value ob- tained before compacting by more than 60 percent	_	12.2			
IV)	Acidity (as H <sub>8</sub> SO <sub>4</sub> ), percent by mass, Max	0 25	-	11 3			
	OR Alkalinity ( as NaOH ), percent by mass, Max	100	_	11 3			

<sup>\*</sup>Specification for quinalphos, technical (first revision)

†Methods of test for pesticides and their formulations (first remisson)

\$\frac{1}{2}See 1S 460 (Part 1 \cdot 1) + 1978 Specification for test sieves: Part 1 Wire cloth test specified and revision 1 BS 1878 Sieve 200, TV lir Sieve 200 have apertures within the limits specified and may, therefore, be used as 75-micron IS Sieve

<sup>\*</sup>Specification for q unalphos, technical (first revision)

2.3 Quinalphos Content — When determined by the method prescribed in Appendix A of IS: 8072-1984\*, the observed quinalphos content, percent by mass of any of the samples shall not differ from the declared nominal value by more than the percent tolerance as indicated below:

- 2.3.1 The actual value of the quinalphos content in formulation shall be calculated to the second decimal place and then rounded off to first decimal place before applying the tolerances as stipulated in 2.3.
- 2.3.1.1 The average content of all samples taken shall not be lower than the nominal value.

#### 3. PACKING AND MARKING

- 3.1 Packing The meterial shall be packed as per requirements given in IS: 8190 (Part 1)-1980†.
- 3.2 Marking The containers shall bear legibly and indelibly the follow ing information and any other additional information as required under the *Insecticides Act* and Rules:
  - a) Name of the material;
  - b) Name of the manufacturer;
  - c) Batch number;
  - d) Date of manufacture;
  - e) Net mass of contents;
  - f) Nominal quinalphos content, percent (m/m); and
  - g) A minimum cautionary notice as worded in the Insecticides Act and Rules.
  - 3.2:1 The product may also be marked with Standard mark.
- 3.3 The use of the Standard Mark is governed by the provisions of the Bureau of Indian Standards Act, 1986 and the Rules and Regulations made thereunder. The details of conditions under which the licence for the use of Standard Mark may be granted to manufacturers or producers may be obtained from the Bureau of Indian Standards.

to that standard as a further safeguard. Details of conditions, under which a licence for the use of the ISI Certification Mark may be granted to manufacturers or processors, may be obtained from the Indian Standards Institution.

<sup>\*</sup>Specification for quinalphos, technical (first revision). ‡Requirements for packing of pesticides: Part 1 Solid pesticides (first revision).

#### IS: 8029 - 1985

### 4. SAMPLING

4.1 Representative samples of the material shall be drawn as prescribed in IS: 10627-1983\*.

### 5. TESTS

- 5.1 Tests shall be carried out by the methods as specified in col 4 and 5 of Table 1.
- 5.2 For determination of quinalphos content in the dusting powder formulations by the spectro-photometric method, prepare sample solution by accurately weighing a sufficient amount of the sample in a paper thimble to contain approximately 250 mg of quinalphos and extract in a Soxhlet apparatus with benzene for 6-7 hours, taking care to ensure that the extraction is complete. Recover as much of the solvent as possible in the Soxhlet, approximately 5 ml should remain and make up the remaining extract to 25 ml with benzene in a 25-ml volumetric flask. Shake. Transfer  $10~\mu l$  of the solution obtained, in duplicate, at the two starting points of the chromatographic paper. At the third starting point transfer similarly  $10~\mu l$  solution of quinalphos, technical of known purity, containing approximately 250 mg active ingredient in 25 ml benzene solution.
  - 5.2.1 Calculate quinalphos content as given below:

Quinalphos content, percent by mass = 
$$9.62 \times \frac{P}{M}$$

where

P = phosphorus in sample read from the calibration curve; and

M = mass, in g, of sample taken for tests.

5.2.2 For determining quinalphos content by the volumetric method treat sample as for spectrophotometric analysis. Calculate quinalphos content by the following equation:

Quinalphos content, percent by mass = 
$$\frac{v}{m} \times 2.867$$

where

- v = volume, in ml, of standard sodium hydroxide solution consumed: and
- m = mass, in g, of sample taken for the test.
- 5.3 Quality of Reagents Unless specified otherwise, pure chemicals and distilled water ( see IS: 1070-1977†) shall be employed in tests.

Note - 'Pure chemicals' shall mean chemicals that do not contain impurities which affect the results of analysis.

<sup>\*</sup>Methods for sampling of pesticidal formulations. †Specification for water for general laboratory use ( second revision ).

### **BUREAU OF INDIAN STANDARDS**

Headquarters:

Manak Bhavan, 9 Bahadur Shah Zafar Marg, NEW DELHI 110002

Telephones: 323 0131, 323 3375, 323 9402

Fax: 91 11 3234062, 91 11 3239399, 91 11 3239382

	to all Offices)	
Central Laboratory:	Telephone	
Plot No. 20/9, Site IV, Sahibabad Industrial Area, Sahibabad 201010	8-77 00 32	
Regional Offices:		
Central: Manak Bhavan, 9 Bahadur Shah Zafar Marg, NEW DELHI 110002	323 76 17	
*Eastern: 1/14 CIT Scheme VII M, V.I.P. Road, Maniktola, CALCUTTA 700054	337 86 62	
Northern: SCO 335-336, Sector 34-A, CHANDIGARH 160022	60 38 43	
Southern : C.I.T. Campus, IV Cross Road, CHENNAI 600113	235 23 15	
†Western : Manakalaya, E9, Behind Marol Telephone Exchange, Andheri (East), MUMBAI 400093	832 92 95	
Branch Offices::		
'Pushpak', Nurmohamed Shaikh Marg, Khanpur, AHMEDABAD 380001	550 13 48	
\$Peenya Industrial Area, 1st Stage, Bangalore-Turnkur Road, BANGALORE 560058	839 49 55	
Gangotri Complex, 5th Floor, Bhadbhada Road, T.T. Nagar, BHOPAL 462003	55 40 21	
Plot No. 62-63, Unit VI, Ganga Nagar, BHUBANESHWAR 751001	40 36 27	
Kalaikathir Buildings, 670 Avinashi Road, COIMBATORE 641037	21 01 41	
Plot No. 43, Sector 16 A, Mathura Road, FARIDABAD 121001	8-28 88 01	
Savitri Complex, 116 G.T. Road, GHAZIABAD 201001	8-71 19 96	
53/5 Ward No.29, R.G. Barua Road, 5th By-lane, GUWAHATI 781003	54 11 37	
5-8-56C, L.N. Gupta Marg, Nampally Station Road, HYDERABAD 500001	20 10 83	
E-52, Chitaranjan Marg, C-Scheme, JAIPUR 302001	37 29 25	
117/418 B, Sarvodaya Nagar, KANPUR 208005	21 68 76	
Seth Bhawan, 2nd Floor, Behind Leela Cinema, Naval Kishore Road, LUCKNOW 226001	23 89 23	
NIT BUilding, Second Floor, Gokulpat Market, NAGPUR 440010	52 51 71	
Patliputra Industrial Estate, PATNA 800013	26 23 05	
Institution of Engineers (India) Building 1332 Shivaji Nagar, PUNE 411005	32 36 35	
T.C. No. 14/1421, University P. O. Palayam, THIRUVANANTHAPURAM 695034	6 21 17	
**Sales Office is at 5 Chowringhee Approach, P.O. Princep Street, CALCUTTA 700072	27 10 85	
†Sales Office is at Novelty Chambers, Grant Road, MUMBAI 400007	309 65 28	
‡Sales Office is at 'F' Block, Unity Building. Narashimaraja Square, BANGALORE 560002	222 39 71	